

814 N P / N I

WET/DRY VACUUM CLEANERS

Small, powerful and silent wet/dry vacuum cleaner. Tank in PP, ABS base with 4 fully rotating castors. The version with the tank in PP is the result of technological research response to the precise needs of safety, silence, sturdiness and manageability. The choice of the materials and the components together with the accurate planning and the design, have produced a new and tangible reality in the field of the industrial cleaning. Standard accessories diameter Ø 36 for even better efficiency



Closure clamp



Quick hose coupling



Paper filter bag (optional)



Cage with floater

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
814 N P	00-08301381	18
814 N I	00-13201321	18

TECHNICAL DATA

Max power rating	W	1100
Rated power (nominal power)	W	1000
Container capacity	l	16
Useful capacity	l	12
Useful dust bag capacity	l	12
Filtering surface	m ²	0,25
Air flow rate	l/s	53
Vacuum	mbar	210
Sound level	db(A)	65
Power supply cable	m	10
Weight (without accessories)	Kg	8 (P) - 8,5 (I)
Dimensions	mm	340 x 340 x 570

STANDARD ACCESSORIES

Ø 36

TYPE	REF. NO.
Flexible hose 2,5 m	01315P
Suction chrome tube 0,5 m (*)	2511500
D320 dry floor tool	2511524
D300 squeegee tool	2511526
Upholstery tool	2511530
Round brush	2511540
Crevice tool	2511520
Textile filter	20-914

OPTIONAL ACCESSORIES

TYPE	REF. NO.
Nylon filter (filtering surface 0,20 m ²)	20-701
Paper filter bag l 12x 5	01-385

(*) 2 on standard equipment

829 P / I

WET/DRY VACUUM CLEANERS

Silent, powerful and easily transportable wet/dry vacuum cleaner. Tank in PP, ABS base with 4 castor wheels. A pressing and continuing market demand has led us to create a range of wet/dry vacuum cleaners, using an alternative material instead of steel. The version with the tank in PP is the result of technological research to the precise needs of safety, silence, sturdiness and manageability



Closure clamp



Quick hose coupling



Paper filter bag (optional)



Cage with floater

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
829 P	00-08900381	12
829 I	00-13800321	12

TECHNICAL DATA

Max power rating	W	1100
Rated power (nominal power)	W	1000
Container capacity	l	25
Useful capacity	l	18
Useful dust bag capacity	l	15
Filtering surface	m ²	0,3
Air flow rate	l/s	53
Vacuum	mbar	210
Sound level	db(A)	65
Power supply cable	m	10
Weight (without accessories)	Kg	9 (P) - 9,6 (I)
Dimensions	mm	340 x 340 x 730

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	01-410
Squeegee tool	01-421
Floor tool	01-420
Round brush	2511615
Crevice tool	2511610
Suction tube "S"	01-440
Textile filter	20-490

OPTIONAL ACCESSORIES

TYPE	REF. NO.
Extension tube PVC 0,5 m	2512000
Upholstery tool	01-431
Nylon filter (filtering surface 0,35 m ²)	20-702
Paper filter bag l 15 x 5	01-387

931 I

WET/DRY VACUUM CLEANERS

Wet/dry vacuum cleaner with tank mounted on a tilting chassis in order to simplify the emptying, manageable and easy transportable. Frame with 2 fixed wheels and 2 castors. The unit can be fitted with an optional gangway tool (Squeegee). Ideally for application when it is necessary to empty the tank very easily and fast.



Tilting system

Closure clamp

Quick hose coupling

Cage with floater

Gangway tool (optional)

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
931 I	00-13900321	8

TECHNICAL DATA

Max power rating	W	1450
Rated power (nominal power)	W	1300
Container capacity	l	30
Useful capacity	l	22
Filtering surface	m ²	0,28
Air flow rate	l/s	55
Vacuum	mbar	230
Sound level	db(A)	68
Power supply cable	m	10
Weight (without accessories)	Kg	15
Dimensions	mm	480 x 580 x 880

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	01-410
Squeegee tool	01-421
Floor tool	01-420
Round brush	2511615
Crevice tool	2511610
Suction tube "S"	01-440
Textile filter	20-490

OPTIONAL ACCESSORIES

TYPE	REF. NO.
Extension tube PVC 0,5 m	2512000
Upholstery tool	01-431
Gangway tool	00-200
Nylon filter (filt. surf. 0,35 m ²)	20-702

935 P/P CB

WET/DRY VACUUM CLEANERS

Silent, powerful and large capacity wet/dry vacuum cleaner. Tank in PP, ABS base with 4 castor wheels. CB version is equipped with new, robust metal trolley.



Closure clamp



Quick hose coupling



Cage with floater

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
935 P	00-13500381	8
935 P CB	00-13501381	8

TECHNICAL DATA

Max power rating	W	1450
Rated power (nominal power)	W	1300
Container capacity	l	54
Useful capacity	l	35
Filtering surface	m ²	0,5
Air flow rate	l/s	55
Vacuum	mbar	230
Sound level	db(A)	62
Power supply cable	m	10
Weight (without accessories)	Kg	19 (P) - 20 (P CB)
Dimensions	mm	480 x 480 x 880 (P) - 480 x 560 x 920 (CB)

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	01-410
Squeegee tool	01-421
Floor tool	01-420
Round brush	2511615
Crevice tool	2511610
Suction tube "S"	01-440
Textile filter	20-669

OPTIONAL ACCESSORIES

TYPE	REF. NO.
Extension tube PVC 0,5 m	2512000
Upholstery tool	01-431
Gangway tool (*)	00-200
Nylon filter (filtering surface 0,6 m ²)	20-703
HEPA Cartridge filter (filtering surface 0,9 m ²)	20-770

(*) For CB version

935 I / I CB

WET/DRY VACUUM CLEANERS

Silent, powerful and large capacity wet/dry vacuum cleaner. Stainless steel tank, ABS base with 4 castor wheels. CB version has tilting chassis for easy and effortless emptying the tank.



Closure clamp



Quick hose coupling



Cage with floater

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
935 I	00-13600321	8
935 I CB	00-13601321	8

TECHNICAL DATA

Max power rating	W	1450
Rated power (nominal power)	W	1300
Container capacity	l	54
Useful capacity	l	35
Filtering surface	m ²	0,5
Air flow rate	l/s	55
Vacuum	mbar	230
Sound level	db(A)	62
Power supply cable	m	10
Weight (without accessories)	Kg	20 (I) - 21 (CB)
Dimensions	mm	480 x 480 x 880 (I) - 480 x 560 x 920 (CB)

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	01-410
Squeegee tool	01-421
Floor tool	01-420
Round brush	2511615
Crevice tool	2511610
Suction tube "S"	01-440
Textile filter	20-669

OPTIONAL ACCESSORIES

TYPE	REF. NO.
Extension tube PVC 0,5 m	2512000
Upholstery tool	01-431
Gangway tool (*)	00-200
Nylon filter (filtering surface 0,6 m ²)	20-703
HEPA Cartridge filter (filtering surface 0,9 m ²)	20-770

(*) For CB version

938 P / P CB

WET/DRY VACUUM CLEANERS

Silent, large capacity wet/dry vacuum cleaner. This model is very powerful thanks to the exclusive 3-stage low speed motor. Tank in PP. CB version has tilting chassis for easy and effortless emptying the tank.



Closure clamp

Quick hose coupling

Cage with floater

Textile filter

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
938 P	00-14100381	8
938 P CB	00-14101381	8

TECHNICAL DATA

Max power rating	W	1700
Rated power (nominal power)	W	1500
Container capacity	l	54
Useful capacity	l	35
Filtering surface	m ²	0,5
Air flow rate	l/s	65
Vacuum	mbar	250
Sound level	db(A)	62
Power supply cable	m	10
Weight (without accessories)	Kg	22 (P) - 23 (CB)
Dimensions	mm	480 x 480 x 880 (P)- 480 x 560 x 920 (CB)

STANDARD ACCESSORIES

TYPE	Ø 40 REF. NO.
Flexible hose 2,5 m	01-410
Squeegee tool	01-421
Floor tool	01-420
Round brush	2511615
Crevice tool	2511610
Suction tube "S"	01-440
Textile filter	20-669

OPTIONAL ACCESSORIES

TYPE	REF. NO.
Extension tube PVC 0,5 m	2512000
Upholstery tool	01-431
Gangway tool (*)	00-200
Nylon filter (filtering surface 0,6 m ²)	20-703
HEPA Cartridge filter (filtering surface 0,9 m ²)	20-770

(*) For CB version

938 I / I CB

WET/DRY VACUUM CLEANERS

Silent, large capacity wet/dry vacuum cleaner. This model is very powerful thanks to the exclusive 3-stage low speed motor. Stainless steel tank. CB version has tilting chassis for easy and effortless emptying the tank.



Closure clamp



Quick hose coupling



Cage with floater



Textile filter

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
938 I	00-14000321	8
938 I CB	00-14001321	8

TECHNICAL DATA

Max power rating	W	1700
Rated power (nominal power)	W	1500
Container capacity	l	54
Useful capacity	l	35
Filtering surface	m ²	0,5
Air flow rate	l/s	65
Vacuum	mbar	250
Sound level	db(A)	62
Power supply cable	m	10
Weight (without accessories)	Kg	23 (I) - 24 (CB)
Dimensions	mm	480 x 480 x 880 (I) - 480 x 560 x 920 (CB)

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	01-410
Squeegee tool	01-421
Floor tool	01-420
Round brush	2511615
Crevice tool	2511610
Suction tube "S"	01-440
Textile filter	20-669

OPTIONAL ACCESSORIES

TYPE	REF. NO.
Extension tube PVC 0,5 m	2512000
Upholstery tool	01-431
Gangway tool (*)	00-200
Nylon filter (filtering surface 0,6 m ²)	20-703
HEPA Cartridge filter (filtering surface 0,9 m ²)	20-770

(*) For CB version

98 P / IK

WET/DRY VACUUM CLEANERS

Wet&dry vacuum cleaners with big tank capacity on the practice wheels chassis. Two motors with possibility to be used separately. IK version is equipped with stainless steel container and antistatic device.



Gangway tool
(optional)



Antistatic device
(IK)



Closure clamp



Quick hose
coupling



Cage with floater



Textile filter

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
98 P	17763811950	8
98 IK	17753811950	8

TECHNICAL DATA

Max power rating	W	2300
Rated power (nominal power)	W	1900
Container capacity	l	80
Useful capacity	l	56
Filtering surface	m ²	0,4
Air flow rate	l/s	100
Vacuum	mbar	190
Sound level	db(A)	65
Power supply cable	m	10
Weight (without accessories)	Kg	20 (P) - 21,3 (IK)
Dimensions	mm	470 x 470 x 880

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	01-410
Squeegee tool	01-421
Floor tool	01-420
Round brush	2511615
Crevice tool	2511610
Suction tube "S"	01-440
Textile filter	6830000

OPTIONAL ACCESSORIES

TYPE	REF. NO.
Extension tube PVC 0,5 m	2512000
Upholstery tool	01-431
Gangway tool	6103051
Nylon filter (filtering surface 0,75 m ²)	3001220
Cartridge filter (filtering surface 1,06 m ²)	2512743
HEPA Cartridge filter (filtering surface 1,06 m ²)	2512744

980 P/IK-CBN

WET/DRY VACUUM CLEANERS

Great capacity and powerful wet/dry vacuum cleaners with 2 motors separately switchable. PP and a stainless steel tank mounted on a tilting chassis to simplify emptying. The IK version is equipped with stainless steel container and an antistatic device.



Antistatic device (IK)



Cage bag support with floater



Gangway tool (optional)



Tilting system to simplify emptying



Quick hose coupling

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
980 P CBN	15353811950	8
980 IK CBN	15343211950	8

TECHNICAL DATA

Max power rating	W	2300
Rated power (nominal power)	W	1900
Container capacity	l	80
Useful capacity	l	56
Filtering surface	m ²	0,4
Air flow rate	l/s	100
Vacuum	mbar	190
Sound level	db(A)	65
Power supply cable	m	10
Weight (without accessories)	Kg	20 (P CBN) - 21 (IK CBN)
Dimensions	mm	610 x 520 x 920

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	01-410
Squeegee tool	01-421
Floor tool	01-420
Round brush	2511615
Crevice tool	2511610
Suction tube "S"	01-440
Textile filter	6830000

OPTIONAL ACCESSORIES

TYPE	REF. NO.
Extension tube PVC 0,5 m	2512000
Upholstery tool	01-431
Gangway tool	6103051
Nylon filter (filtering surface 0,75 m ²)	3001220
Cartridge filter (filtering surface 1,06 m ²)	2512743
HEPA Cartridge filter (filtering surface 1,06 m ²)	2512744

980 IK CBM

WET/DRY VACUUM CLEANERS

Wet/dry vacuum cleaner with 2 motors which can be used separately or in combination. Stainless steel container mounted on a metal tilting chassis to simplify emptying. Antistatic device as standard.



Antistatic device



Cage bag support with floater



Gangway tool (optional)



Tilting system to simplify emptying



Quick hose coupling

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
980 IK CBM	15273211950	8

TECHNICAL DATA

Max power rating	W	2300
Rated power (nominal power)	W	1900
Container capacity	l	80
Useful capacity	l	56
Filtering surface	m ²	0,4
Air flow rate	l/s	100
Vacuum	mbar	190
Sound level	db(A)	65
Power supply cable	m	10
Weight (without accessories)	Kg	21,3
Dimensions	mm	520 x 610 x 920

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	01-410
Squeegee tool	01-421
Floor tool	01-420
Round brush	2511615
Crevice tool	2511610
Suction tube "S"	01-440
Textile filter	6830000

OPTIONAL ACCESSORIES

TYPE	REF. NO.
Extension tube PVC 0,5 m	2512000
Upholstery tool	01-431
Gangway tool	6103066
Nylon filter (filtering surface 0,75 m ²)	3001220
Cartridge filter (filtering surface 1,06 m ²)	2512743
HEPA Cartridge filter (filtering surface 1,06 m ²)	2512744

990 P/IK - CBN

WET/DRY VACUUM CLEANERS

Wet/dry vacuum cleaner with 3 motors which can be used separately or in combination. Stainless steel tank mounted on a metal tilting chassis to simplify emptying. And antistatic device as standard.



Antistatic device
(IK)



Cage bag support
with floater



Gangway tool
(optional)



Tilting system to simplify emptying



Quick hose
coupling

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
990 P CBN	15613811950	8
990 IK CBN	15603211950	8

TECHNICAL DATA

Max power rating	W	3450
Rated power (nominal power)	W	2900
Container capacity	l	80
Useful capacity	l	56
Filtering surface	m ²	0,4
Air flow rate	l/s	150
Vacuum	mbar	205
Sound level	db(A)	66,5
Power supply cable	m	10
Weight (without accessories)	Kg	24,7 (P CBN) - 26 (IK CBN)
Dimensions	mm	610 x 520 x 920

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	01-410
Squeegee tool	01-421
Floor tool	01-420
Round brush	2511615
Crevice tool	2511610
Suction tube "S"	01-440
Textile filter	6830000

OPTIONAL ACCESSORIES

TYPE	REF. NO.
Extension tube PVC 0,5 m	2512000
Upholstery tool	01-431
Gangway tool	6103051
Nylon filter (filtering surface 0,75 m ²)	3001220
Cartridge filter (filtering surface 1,06 m ²)	2512743
HEPA Cartridge filter (filtering surface 1,06 m ²)	2512744

990 IK CBM

WET/DRY VACUUM CLEANERS

High performance wet&dry vacuum cleaner with three motors separately or simultaneously switchable. IK CBM version is equipped with stainless steel container with tilting system, antistatic device and strong metal trolley. Nylon filter and spacer for plastic bag (opt).



Antistatic device



Cage bag support with floater



Gangway tool (optional)



Tilting system to simplify emptying



Quick hose coupling

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
990 IK CBM	15523211950	8

TECHNICAL DATA

Max power rating	W
Rated power (nominal power)	W
Container capacity	l
Useful capacity	l
Filtering surface	m ²
Air flow rate	l/s
Vacuum	mbar
Sound level	db(A)
Power supply cable	m
Weight (without accessories)	Kg
Dimensions	mm

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	01-410
Squeegee tool	01-421
Floor tool	01-420
Round brush	2511615
Crevice tool	2511610
Suction tube "S"	01-440
Textile filter	6830000

OPTIONAL ACCESSORIES

TYPE	REF. NO.
Extension tube PVC 0,5 m	2512000
Upholstery tool	01-431
Gangway tool	6103066
Nylon filter (filtering surface 0,75 m ²)	3001220
Cartridge filter (filtering surface 1,06 m ²)	2512743
HEPA Cartridge filter (filtering surface 1,06 m ²)	2512744

POWER WD 22 P/I

WET & DRY VACUUM CLEANERS

Wet/dry vacuum cleaners with powerful and high efficiency New Generation motors. The I version is equipped with stainless steel container. Power brush socket, Hepa cartridge filter in option, accessories holder and exhaust air filters makes them very useful and universal for many different applications.



Textile filter

Accessories holder

Inlet and outlet of the motor cooling air

Paper filter bag (optional)

Floating system

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
POWER WD 22 P	16538611950	18
POWER WD 22 I	16548711950	18

TECHNICAL DATA

Max power rating	W	1250
Rated power (nominal power)	W	1100
Container capacity	l	22
Useful capacity	l	11
Useful dust bag capacity	l	7
Filtering surface	m ²	0,19
Air flow rate	l/s	71
Vacuum	mbar	235
Sound level	db(A)	60
Power supply cable	m	10
Weight (without accessories)	Kg	8,7 (P) - 9,3 (I)
Dimensions	mm	500x380x485

STANDARD ACCESSORIES

Ø 36

TYPE	REF. NO.
Flexible hose 2,5 m	6010648
Chromed extension tube 0,5 m (*)	2511500
D 320 Dry floor tool	2511524
D 300 Squeegee tool	2511526
Upholstery tool	2511530
Round brush	2511540
Crevice tool	2511520
Textile filter	6656000
Nylon protection filter	3001009

OPTIONAL ACCESSORIES

TYPE	REF. NO.
Oval brush	2512050
Antifoam device	6200150
Nylon filter (filtering surface 0,46 m ²)	3001210
Cartridge filter (filtering surface 0,4 m ²)	2512745
HEPA cartridge filter (filtering surface 0,4 m ²)	2512747
Paper filter bag 17 x 10	6650030
Fleece filter bag x 10	6614010

(*) 2 on standard equipment

POWER WD 36 P/I

WET & DRY VACUUM CLEANERS

Medium capacity wet/dry vacuum cleaner equipped with a powerful and high efficiency. New Generation motor. The I version is equipped with stainless steel container. Cartridge filter (standard and HEPA optional). Accessory holder. Exhaust air filter.



Cartridge filter (optional)



Front swivel castor wheels



Exhaust air filter



Floating system



Intake



Switch board

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
POWER WD 36 P	15058611950	12
POWER WD 36 I	15068711950	12

TECHNICAL DATA

Max power rating	W	1250
Rated power (nominal power)	W	1100
Container capacity	l	36
Useful capacity	l	25
Useful dust bag capacity	l	16
Filtering surface	m ²	0,25
Air flow rate	l/s	71
Vacuum	mbar	235
Sound level	db(A)	60
Power supply cable	m	10
Weight (without accessories)	Kg	8,7 (P) - 9,3 (I)
Dimensions	mm	500x380x685

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	6010500
Suction tube "S"	2511600
Dry floor tool	6010000
Squeegee tool	6010011
Round brush	2511615
Crevice tool	2511610
Textile filter	6620000
Nylon protection filter	3001017

OPTIONAL ACCESSORIES

TYPE	REF. NO.
PVC extension tube (0,5 m)	2512000
Antifoam device	6200150
Nylon filter (filtering surface 0,46 m ²)	3001210
Cartridge filter (filtering surface 0,4 m ²)	2512746
HEPA cartridge filter (filtering surface 0,4 m ²)	2512748
Paper filter bag I 16 x 10	6713030
Carpet brush	2512610
Oven filter (*)	6620005

(*) only for I version

POWER WD 50 P/PD

WET & DRY VACUUM CLEANERS

Wet/dry vacuum cleaner equipped with a powerful and high efficiency New Generation motor. The PD version is equipped with a drain hose to empty the container from liquids. Exhaust air filter. Great air flow rate and suction power. Driving frame in anti-shock plastic material with accessory holders. Nylon filter, cartridge filter (standard and HEPA) optional.



Accessories holder



Gangway tool (optional)



Floating system and filter cage



Drain hose to empty the container from liquids (PD).



Rear wheels

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
POWER WD 50 P	15108611950	8
POWER WD 50 PD	15158611950	8

TECHNICAL DATA

Max power rating	W	1450
Rated power (nominal power)	W	1350
Container capacity	l	50
Useful capacity	l	35
Useful dust bag capacity	l	19
Filtering surface	m ²	0,35
Air flow rate	l/s	74
Vacuum	mbar	260
Sound level	db(A)	62
Power supply cable	m	10
Weight (without accessories)	Kg	12,5
Dimensions	mm	525x495x825

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	6010500
Suction tube "S"	2511600
Dry floor tool	6010000
Squeegee tool	6010011
Round brush	2511615
Crevice tool	2511610
Textile filter	6730000
Nylon protection filter	3001016

OPTIONAL ACCESSORIES

TYPE	REF. NO.
PVC extension tube (0,5 m)	2512000
Antifoam device	6200150
Nylon filter (filtering surface 0,62 m ²)	3001225
Cartridge filter (filtering surface 0,4 m ²)	2512746
HEPA cartridge filter (filtering surface 0,4 m ²)	2512748
Paper filter bag with cap l 19 x 10	6830030
Carpet brush	2512610
Gangway tool	6103058

POWER WD 50 I

WET & DRY VACUUM CLEANERS

Wet/dry vacuum cleaner equipped with a powerful and high efficiency New Generation motor. Power WD 50 I is equipped with stainless steel container. Exhaust air filter. Great air flow rate and suction power. Driving frame in anti-shock plastic material with accessory holders. Nylon filter, cartridge filter (standard and HEPA) optional.



Accessories holder



Gangway tool (optional)



Floating system and filter cage



Front swivel castor wheels



Rear wheels

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
POWER WD 50 I	15118711950	8

TECHNICAL DATA

Max power rating	W	1450
Rated power (nominal power)	W	1350
Container capacity	l	50
Useful capacity	l	35
Useful dust bag capacity	l	19
Filtering surface	m ²	0,35
Air flow rate	l/s	74
Vacuum	mbar	260
Sound level	db(A)	62
Power supply cable	m	10
Weight (without accessories)	Kg	13,5
Dimensions	mm	525x495x825

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	6010500
Suction tube "S"	2511600
Dry floor tool	6010000
Squeegee tool	6010011
Round brush	2511615
Crevice tool	2511610
Textile filter	6730000
Nylon protection filter	3001016

OPTIONAL ACCESSORIES

TYPE	REF. NO.
PVC extension tube (0,5 m)	2512000
Antifoam device	6200150
Nylon filter (filtering surface 0,62 m ²)	3001225
Cartridge filter (filtering surface 0,4 m ²)	2512746
HEPA cartridge filter (filtering surface 0,4 m ²)	2512748
Paper filter bag with cap l 19 x 10	6830030
Carpet brush	2512610
Oven filter	6730005
Gangway tool	6103058

POWER WD 80.2 P/I

WET & DRY VACUUM CLEANERS

The biggest wet&dry vacuum cleaners all equipped with 2 powerful and high efficiency New Generation motors separately switchable. P version with impact resistant polipropylene tank. I from stainless steel container. Little weight and compact dimensions with high level performances. Exhaust air filter. Nylon filter, spacer for plastic bag, cartridge filter, paper filter bag (optional). All the versions with 2 big wheels and 2 castors for easy and effortlessly moving.



Motor switches



Gangway tool (optional)



Intake



Manual filter shaking system (optional)



Cartridge filter (optional)



Exhaust air filter

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
POWER WD 80.2 P	14308611950	8
POWER WD 80.2 I	14358711950	8

TECHNICAL DATA

Max power rating	W	2500
Rated power (nominal power)	W	2200
Container capacity	l	80
Useful capacity	l	56
Useful dust bag capacity	l	19
Filtering surface	m ²	0,4
Air flow rate	l/s	142
Vacuum	mbar	225
Sound level	db(A)	62
Power supply cable	m	10
Weight (without accessories)	Kg	18,2 (P) - 19,5 (I)
Dimensions	mm	620x1115x960

STANDARD ACCESSORIES

Ø 40

TYPE	REF. NO.
Flexible hose 2,5 m	6010500
Suction tube "S"	2511600
Dry floor tool	6010000
Squeegee tool	6010011
Round brush	2511615
Crevice tool	2511610
Textile filter	6830000
Nylon protection filter	3001016

OPTIONAL ACCESSORIES

TYPE	REF. NO.
PVC extension tube (0,5 m)	2512000
Antifoam device	6200150
Nylon filter (filtering surface 0,75 m ²)	3001220
Cartridge filter (filtering surface 1,06 m ²)	2512743
HEPA cartridge filter (filtering surface 1,06 m ²)	2512744
Paper filter bag with cap l 19 x 10	6830030
Carpet brush	2512610
Oven filter (*)	6830005
Gangway tool	6103054
Manual filter shaking system	6895500

(*) only for I version

POWER WD 80.2 P/I TPT

WET & DRY VACUUM CLEANERS

The biggest wet&dry vacuum cleaners all equipped with 2 powerful and high efficiency New Generation motors separately switchable. P version with impact resistant polipropylene tank. I with stainless steel container. Little weight and compact dimensions with high level performances. Exhaust air filter. TPT: container with tilting system mounted on a driving frame. Compact wheels in antishock plastic material. Nylon filter, spacer for plastic bag, cartridge filter, paper filter bag (optional).



Cable holder



Switch board



Manual filter shaking system (optional)



Cartridge filter (optional)



Container with tilting system



Exhaust air filter

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
POWER WD 80.2 P TPT	14408611950	8
POWER WD 80.2 I TPT	14458711950	8

TECHNICAL DATA

Max power rating	W	2500
Rated power (nominal power)	W	2200
Container capacity	l	80
Useful capacity	l	56
Useful dust bag capacity	l	19
Filtering surface	m ²	0,4
Air flow rate	l/s	142
Vacuum	mbar	225
Sound level	db(A)	62
Power supply cable	m	10
Weight (without accessories)	Kg	19 (P) - 20,3 (I)
Dimensions	mm	610x520x920

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	6010500
Suction tube "S"	2511600
Dry floor tool	6010000
Squeegee tool	6010011
Round brush	2511615
Crevice tool	2511610
Textile filter	6830000
Nylon protection filter	3001016

OPTIONAL ACCESSORIES

TYPE	REF. NO.
PVC extension tube (0,5 m)	2512000
Antifoam device	6200150
Nylon filter (filtering surface 0,75 m ²)	3001220
Cartridge filter (filtering surface 1,06 m ²)	2512743
HEPA cartridge filter (filtering surface 1,06 m ²)	2512744
Paper filter bag with cap l 19 x 10	6830030
Carpet brush	2512610
Oven filter (*)	6830005
Gangway tool	6103054
Manual filter shaking system	6895500
Spacer for plastic bag	6102255
Set accessories Ø 50	5830022

(*) only for I version

POWER WD 80.2 I TMT

WET & DRY VACUUM CLEANERS

Wet/dry vacuum cleaner equipped with driving frame and 2 powerful and high efficiency New Generation motors separately switchable. Stainless steel container. Equipped with new, robust metal trolley. Little weight and compact dimensions with high level performances. Exhaust air filter. TMT: container with tilting system mounted on a metal driving frame. Compact wheels in anti-shock plastic material. Nylon filter, spacer for plastic bag, cartridge filter, paper filter bag (optional).



Cable holder



Motor switches



Manual filter shaking system (optional)



Tilting system



Intake



Filter cage

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
POWER WD 80.2 I TMT	14438711950	8

TECHNICAL DATA

Max power rating	W	2500
Rated power (nominal power)	W	2200
Container capacity	l	80
Useful capacity	l	56
Useful dust bag capacity	l	19
Filtering surface	m ²	0,4
Air flow rate	l/s	142
Vacuum	mbar	225
Sound level	db(A)	62
Power supply cable	m	10
Weight (without accessories)	Kg	20,3
Dimensions	mm	610x520x920

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	6010500
Suction tube "S"	2511600
Dry floor tool	6010000
Squeegee tool	6010011
Round brush	2511615
Crevice tool	2511610
Textile filter	6830000
Nylon protection filter	3001016

OPTIONAL ACCESSORIES

TYPE	REF. NO.
PVC extension tube (0,5 m)	2512000
Antifoam device	6200150
Nylon filter (filtering surface 0,75 m ²)	3001220
Cartridge filter (filtering surface 1,06 m ²)	2512743
HEPA cartridge filter (filtering surface 1,06 m ²)	2512744
Paper filter bag with cap l 19 x 10	6830030
Carpet brush	2512610
Oven filter	6830005
Gangway tool	6103064
Manual filter shaking system	6895500
Spacer for plastic bag	6102255
Set accessories Ø 50	5830022

POWER WD 80.2 P CF

WET & DRY VACUUM CLEANERS WITH INTEGRATED DISCHARGING PUMP

High efficiency, trolley mounted wet & dry vacuum unit, equipped with an integrated discharging pump for continuous suction/dumping. This unique machine's performances are very suitable for civil/emergency service, contract cleaners and fire brigades. Can be used also as a normal dry or wet & dry vacuum cleaner.



Filter cage

Discharging pump

Cartridge filter
(optional)

Exhaust air filter

PRODUCT IDENTIFICATION

TYPE	REF. NO.	PIECES/PALLET
POWER WD 80.2 P CF	14488611950	2

TECHNICAL DATA

Max power rating	W	2500
Rated power (nominal power)	W	2200
Container capacity	l	80
Useful capacity	l	42
Air flow rate	l/s	142
Vacuum	mbar	225
Sound level	db(A)	62
Power supply cable	m	10
Weight (without accessories)	Kg	29
Dimensions	mm	620x1115x960
DISCHARGING PUMP:		
• Water flow	l/min	max 220
• Max power	W	370
• Lift performance		max 8 m (flow 20 l/min)

STANDARD ACCESSORIES

TYPE	REF. NO.
Flexible hose 2,5 m	6010500
Suction tube "S"	2511600
Squeegee tool	6010011
Crevice tool	2511610
Nylon protection filter	3001009

OPTIONAL ACCESSORIES

TYPE	REF. NO.
Cartridge filter (filtering surface 1,06 m²)	2512743
HEPA cartridge filter (filtering surface 1,06 m²)	2512744
Paper filter bag with cap l 19 x 10	6830030